From: Boyd, Andrew
To: Eng, Sharon

Subject: FW: FMC OU - Dust control and access issues

Date: Monday, March 30, 2015 10:19:56 AM

From: Shirley, Joan

**Sent:** Monday, March 30, 2015 8:49 AM

To: Jill Grant; Boyd, Andrew

**Cc:** McLerran, Dennis; albright.richard@epa.gov; Stern, Allyn; allnut.david@epa.gov; Williams, Jonathan; cliffm@non-responsive; Werntz, James; FHBC; Landuse (Landuse@sbtribes.com); Arnold Appeney (aappeney@sbtribes.com); Kelly Wright (kwright@sbtribes.com); susanh@non-sisco(vmonsisco@sbtribes.com); Penny Weymiller; Bill Bacon (bbacon@sbtribes.com); Gussie Lord

Subject: RE: FMC OU - Dust control and access issues

Jill –

Thank you for bringing this matter to our attention.

I am forwarding your inquiry to **Andy Boyd**, who is the EPA attorney assigned to the **FMC** matters.

~~~~~~~~~~~~~~~

Joan C. Shirley Assistant Regional Counsel Office of Regional Counsel U.S. EPA Region 10, ORC-158 1200 6th Avenue, Suite 900 Seattle, Washington 98101 Tel: 206.553.0978

Fax: 206.553.1762

Email: shirley.joan@epa.gov

Follow @EPAnorthwest on Twitter! https://twitter.com/EPAnorthwest

CONFIDENTIAL: This transmission may contain deliberative, enforcement sensitive, attorney-client, attorney work product, or otherwise privileged material. Do not release under FOIA without appropriate review. If this message was sent to you in error, you are instructed to delete this message from your machine and from all storage media whether electronic or hard copy.

\*\*\*\*\*\*\*\*\*\*\*

**From:** Jill Grant [mailto:jgrant@jillgrantlaw.com]

**Sent:** Monday, March 30, 2015 8:45 AM

To: Shirley, Joan

Cc: McLerran, Dennis; <u>albright.richard@epa.gov</u>; Stern, Allyn; <u>allnut.david@epa.gov</u>; Williams, Jonathan; <u>cliffm@non-responsive</u>; Werntz, James; FHBC; Landuse (<u>Landuse@sbtribes.com</u>); Arnold Appeney (<u>aappeney@sbtribes.com</u>); Kelly Wright (<u>kwright@sbtribes.com</u>); <u>susanhnon-responsive</u> Virginia Monsisco (<u>vmonsisco@sbtribes.com</u>); Penny Weymiller; Bill Bacon (<u>bbacon@sbtribes.com</u>); Gussie Lord

**Subject:** FMC OU - Dust control and access issues

**Importance:** High

Good morning Joan,

Over the past few days, two issues of significant concern have arisen regarding the FMC OU, and the Tribes urgently need EPA to address them.

First, dust from the site was kicked up by windy conditions and was seen spreading throughout the valley. The crushing of slag and spreading of slag across the site has contributed to the dust problem. As you know, the slag dust contains radioactivity, making the health threat all the more severe (the threat is not just from particulate matter), for everyone in the area.

The Dust Control and Air Monitoring Plan (DCAMP) contains a zero emission goal, which clearly is not being met. (See Section 2.1 of the October 2014 version of the DCAMP, which is the latest version I have.) The Tribes contacted Jonathan Williams, Cliff Merrill, and others at EPA and sent several photos of the conditions in the area, but to my knowledge have not yet received any response. (If you would like me to email you copies of the photos, please let me know.) EPA needs to enforce the requirements of the DCAMP immediately.

Second, the Tribes' access to the FMC OU has been severely limited, which in turn limits the oversight that the Tribes can provide of the activities proceeding at the site. Not only is FMC requiring Tribal representatives to sign an access form containing inappropriate statements (e.g. stating the person is just a visitor, that the person's observations carry no weight, etc.), but also FMC has limited the times it will escort Tribal representative onto the site to just two hours in the morning and two hours in the afternoon. Since there is only one EPA contractor (Cliff Merrill) performing oversight, and he cannot be at the site full-time due to his other duties, that means there are many hours when FMC is proceeding without any oversight. Tribal representatives have identified issues with the work being performed, such as with the placement of air quality monitors, even during the limited access they have had, making this concern all the more serious.

Please let me know as soon as possible how EPA will address these concerns.

Jill

Jill Grant & Associates, LLC 1319 F Street NW Suite 300 Washington, DC 20004 Tel: 202-821-1950

Fax: 202-459-9558 jgrant@jillgrantlaw.com www.jillgrantlaw.com

If this email concerns legal matters, this communication and any attachments are attorneyclient privileged and confidential and intended for use only by the individual or entity named above as the intended recipient. If you are not the intended recipient, reading, distributing, or copying this communication is prohibited. If you have received this communication in error,

| please immediately notify the sender at <a href="mailto:jgrant@jillgrantlaw.com">jgrant@jillgrantlaw.com</a> and delete this email and any attachments. Thank you. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |
|                                                                                                                                                                    |